

Certificate of Compliance

Certificate Number:

[E540692]

Report Reference:

E540692-20240412

Issue Date:

2024-APRIL-12

Issued to:

**LEDYI LIGHTING (HK) CO.,LTD
Unit 1507c, 15/F, Eastcore
398 Kwun Tong Road KWUN TONG
KI HK**

This certificate confirms that representative samples of:

**LOW-VOLTAGE LIGHTING SYSTEMS,
POWER UNITS, LUMINAIRES AND FITTINGS**

See addendum page for Model/Product

Has been evaluated by UL LLC in accordance with Standard(s) for Safety:

[See addendum page for Standard No. & Title]

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Owner



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number: E540692
Report Reference: E540692-20240412
Issue Date: 2024-APRIL-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Standards :
UL 2108 - Low Voltage Lighting Systems
CSA C22.2 No. 250.0-18 - Luminaires

Models :
Low Voltage Luminaries, Surface mounted, LED stripe light
LY-X2422WWHH67 [%]
LY-X2428WWHH67 [%]
LY-X2440WWHH67 [%]
LY-X2450WWHH67 [%]
LY-R1213X [^]
[%] - LY - X 24 XX WW HH 67

I II III IV V VI VII

I: “LY” represents company series number.II: Represent LED color, may be replace by “A” means 2100K, “E” means 2400K, “W” means 2700K, “S” means 3000K, “F” means 3500K, “C” means 4000K, “N” means 5000K, “D” means 6000K, “SK” means 10000K, “R” means Red, “G” means Green, “B” means Blue, “P” means Pink, “T” means Color Tunable, “RGB” means integrate of Red, Green and Blue, “RGBW” means integrate of Red, Green, Blue and Warm White, “RGBD” means integrate of Red, Green Blue and Daylight, “RGBT” means integrate of Red, Green, Blue and Color Tunable.

III: “24” represents input voltage 24Vdc.IV: Represent LED type, may be replace by “22” means 2216, “28” means 2835, “40” means 4040, “50” means 5050.V: Represent the width of LED stripe, may be digits from 06 to 30.VI: Represent the height of LED stripe, may be digits from 06 to 32.

VII: “67” represents water proof method.

[^] - For Model Serie LY-R1213X

“LY” and “X” represent the same meaning as above.

“R” represents rigid LED bar.

“1213” represents product width 12 mm, height 13 mm

Certificate of Compliance

Certificate Number: E540692
Report Reference: E540692-20240412
Issue Date: 2024-APRIL-12